

Estill County Schools Energy Management Package



MAY 2018

Energy Management Avoided Costs Summary

Project Description	Refunds/Rebates Received	Avoided Costs	Total Avoided Costs
Rate Change Savings Prior Years		\$9,600	\$9,600
Rate Change Savings Current Year		\$5,527	\$5,527
Consumption Savings Prior Years		\$334,397	\$334,397
Consumption Savings Current Year		\$96,282	\$96,282
Energy Projects Prior Years	\$18,638		\$18,638
Energy Projects Current Year	9184.59		\$9,185
Total	\$27,822	\$445,805	\$473,628



Estill County Schools

Energy Management Report


May 2018

School Facility	May					2016 - 2018 YTD Results				
	2016 Actual Kwh	2018 Actual Kwh	% Reduction	Position	\$ Cost Change	2016-18 Actual Kwh	2017-18 Actual Kwh	% Reduction	Overall Position	YTD \$ Cost Change
ECMS	79,652	97,362	-22.23%	7	\$1,718	985,675	981,040	0.5%	8	-\$451
West Irvine	92,160	72,000	21.88%	3	-\$1,956	910,240	904,880	0.6%	7	-\$522
Estill Springs	48,408	40,560	16.21%	4	-\$761	503,622	445,535	11.5%	4	-\$5,655
South Irvine P/K	27,060	20,646	23.70%	2	-\$622	370,662	270,408	27.0%	2	-\$9,759
Central Office	22,395	29,515	-31.79%	8	\$691	401,517	443,723	-10.5%	9	\$4,109
Bus Garage	3,916	6,241	-59.37%	9	\$226	43,111	41,178	4.5%	6	-\$188
Adult Education	792	557	29.67%	1	-\$23	9,121	7,365	19.3%	3	-\$171
Old High School	200	200	0.00%	5	\$0	4,440	2,900	34.7%	1	-\$150
Total	409,366	405,821	0.87%		-\$344	4,645,567	4,441,553	4.4%		-\$19,860



Electrical Energy Cost Comparison to Last Year

July 2017 - May 2018 \$ Cost Change




Note: The Schools with the Lowest Bars are doing the Best Job in Reducing Costs



Energy Star Portfolio Manager Ratings

Facility Name	Rating (1-100) May-18	Rating (1-100) June-15	Energy Use kbtu/sq ft May-18	Energy Use kbtu/sq ft June-15	Change From Baseline
Estill County High School	75	75	46.5	47.5	-2.1%
Estill County Middle School	88	80	34.2	39.0	-12.3%
West Irvine Elementary	78	87	44.6	39.5	12.9%
Estill Springs Elementary	82	75	53.5	56.9	-6.0%
South Irvine P/K Center	84	37	51.4	83.5	-38.4%
Total	81	76	44.2	47.7	-7.3%

Energy Star Portfolio Manager Ratings



EUI (kbtu/sq.ft/)

